



ORTERS & IMPORTERS



SEWING MACHINES SPARE PARTS

INDIA

SEWING MACHINES





TAILOR

Product Brief: Straight stitch sewing machine suitable for domestic use and light stitching operations.

Features/Stitch Function: Straight Stitch

Body Type: Cast iron round body

TECHNICAL SPECIFICATIONS

Oscillating Shuttle Type
Auto trip with Adjusting Screw
Single Needle Lock Stitch
Hand and Treadle
Adjustable and Forward or Reverse
800 stitches for hand and
1200 stitches for Treadle per minute
Thumb Screw Type
Thumb Screw Type
6-30 Stitches per 25mm

OVERLOCK MACHINES

Product Brief: Single needle three threads for triming & over edgings.

Features : Overlock Stitch

TECHNICAL SPECIFICATIONS

Needle Threading	Three Threads
Drive	Treadle / Motor
Sewing Speed	3300 stitches per minute
Bed Type	Cast Iron





BAG CLOSER MACHINES

Product Brief: Heavy Duty portable Bag Closer machine for commercial use available in D Model and with Pump Model

Features/Stitch Function: Straight Stitch

Body Type : Cast iron body

TECHNICAL SPECIFICATIONS

Shuttle Type	Looper Type
Needle Threading	Single Thread
Drive	Portable Motorized
Stitch Length Control	5-6 Stitch per 25mm
Thread Tension Control	Thump Screw
Stitch Pattern Selector	Fixed
Pressure Adjustor	Thumb Screw

SEWING **MACHINES**





Product Brief: Straight stitch sewing machine suitable for domestic use and light stitching operations.

Features/Stitch Function: Straight Stitch

Body Type : Square iron body

TECHNICAL SPECIFICATIONS

	Shuttle Type	Oscillating Shuttle
	Bobbin Winding System	Autotrip with Adjusting Screw
	Needle Threading	Single Needle Lock Stick
	Drive	Hand and Treadle
1	Stitch Length Control	Adjustable Forward and Reserve
	Sewing Speed	1500 spm
	Stitch Pattern Selector	Up and Down
	Stitch Length	6-30 Stitches per 25 min



TA-1

Product Brief: High speed machine for commercial use.

Features/Stitch Function: Straight Stitch

Body Type: Round cast iron body

TECHNICAL SPECIFICATIONS

Shuttle Type	Balanced Rotary Shuttle
Bobbin Winding System	Autotrip
Needle Threading	Single Needle
Drive	Treadle / Motor
Stitch Length Control	6-30 Stitches per 25mm
Sewing Speed	1800-2500 spm
Thread Tension Control	Thumb Screw
Stitch Length Selector	Regulator
Reverse Stitch Crochet	Lever Type





TA-2

Product Brief: High speed machine for commercial use.

Features/Stitch Function: Straight Lock Stitch

Body Type: Round cast iron body

TECHNICAL SPECIFICATIONS

Shuttle Type	Balanced Rotary Shuttle
Bobbin Winding System	Adjustable
Needle Threading	Single Needle
Drive	Treadle / Motor
Stitch Length Control	6-30 Stitches per 25mm
Sewing Speed	2000 Stitches per minute
Thread Tension Control	Thumb Screw
Stitch Length Selector	Regulator
Reverse Stitch Crochet	Lever Type

STAND & TABLE











FREND-Z EXPORT

381, Ahluwalia Street, Miller Ganj, Ludhiana-141003, Punjab (INDIA) E-mail: frendzexport@gmail.com Website: www.frendzexport.com

Ph.: 98157-38069, 96466-89893

For any query:







